


Foodservice Equipment • Material Handling, Healthcare & Cleanroom Equipment • Retail Display


Wire & Solid Shelving Components & Accessories

Item #: _____
 Model #: _____
 Project #: _____
 SIS #: _____

DIVIDERS... 8" (203mm) height.




divider for wire shelving



divider for solid shelving

...FOR WIRE SHELVING						...FOR SOLID SHELVING					
shelf width in.	mm	weight lbs.	kg.	chrome model #	stainless model #	weight lbs.	kg.	chrome model #	stainless model #		
14"	356	1.0	0.5	SD14-C	SD14-S	1.0	0.5	SSD14-C	SSD14-S		
18"	457	1.3	0.6	SD18-C	SD18-S	1.3	0.6	SSD18-C	SSD18-S		
21"	533	1.5	0.7	SD21-C	SD21-S	1.5	0.7	SSD21-C	SSD21-S		
24"	610	1.8	0.8	SD24-C	SD24-S	1.8	0.8	SSD24-C	SSD24-S		
30"	762	2.2	1.0	SD30-C	SD30-S	2.3	1.0	SSD30-C	SSD30-S		
36"	914	2.7	1.2	SD36-C	SD36-S	3.0	1.4	SSD36-C	SSD36-S		

LEDGES... Prevents contents from falling off unit. Available in chrome or stainless steel.



1" (25mm)-high ledge



4" (102mm)-high ledge

...FOR WIRE SHELVING										...FOR SOLID SHELVING							
shelf width in.	mm	1" (25mm) HEIGHT				4" (102mm) HEIGHT				weight lbs.	kg.	1" (25mm) HEIGHT		4" (102mm) HEIGHT			
		weight lbs.	kg.	chrome model #	stainless model #	weight lbs.	kg.	chrome model #	stainless model #			weight lbs.	kg.	chrome model #	stainless model #		
14"	356	0.2	0.1	L14-1C	L14-1S	0.8	0.4	L14-4C	L14-4S	0.2	0.1	SL14-1C	SL14-1S	0.8	0.4	SL14-4C	SL14-4S
18"	457	0.3	0.1	L18-1C	L18-1S	0.9	0.4	L18-4C	L18-4S	0.3	0.1	SL18-1C	SL18-1S	0.9	0.4	SL18-4C	SL18-4S
21"	533	0.4	0.2	L21-1C	L21-1S	1.0	0.5	L21-4C	L21-4S	0.4	0.2	SL21-1C	SL21-1S	1.0	0.5	SL21-4C	SL21-4S
24"	610	0.5	0.2	L24-1C	L24-1S	1.2	0.5	L24-4C	L24-4S	0.5	0.2	SL24-1C	SL24-1S	1.2	0.5	SL24-4C	SL24-4S
30"	762	0.7	0.3	L30-1C	L30-1S	1.4	0.6	L30-4C	L30-4S	0.7	0.3	SL30-1C	SL30-1S	1.4	0.6	SL30-4C	SL30-4S
36"	914	0.9	0.4	L36-1C	L36-1S	1.6	0.7	L36-4C	L36-4S	0.9	0.4	SL36-1C	SL36-1S	1.6	0.7	SL36-4C	SL36-4S
42"	1067	1.1	0.5	L42-1C	L42-1S	1.8	0.8	L42-4C	L42-4S	1.1	0.5	SL42-1C	SL42-1S	1.8	0.8	SL42-4C	SL42-4S
48"	1219	1.3	0.6	L48-1C	L48-1S	2.0	0.9	L48-4C	L48-4S	1.3	0.6	SL48-1C	SL48-1S	2.0	0.9	SL48-4C	SL48-4S
54"	1372	1.5	0.7	L54-1C	L54-1S	2.2	1.0	L54-4C	L54-4S	1.5	0.7	SL54-1C	SL54-1S	2.2	1.0	SL54-4C	SL54-4S
60"	1524	1.7	0.8	L60-1C	L60-1S	2.4	1.1	L60-4C	L60-4S	1.7	0.8	SL60-1C	SL60-1S	2.4	1.1	SL60-4C	SL60-4S
72"	1829	2.1	1.0	L72-1C	L72-1S	2.6	1.2	L72-4C	L72-4S	2.1	1.0	SL72-1C	SL72-1S	2.6	1.2	SL72-4C	SL72-4S

Spec sheets available for viewing, printing or downloading from our online literature library at www.eaglegrp.com


For custom configuration or fabrication needs, contact our **SpecFAB Division**.
 Phone: (302) 653-3000. FAX: (302) 653-3091.
 E-mail: specfab@eaglegrp.com

HANDLES

Available in chrome or stainless steel. Fits unit widths only.



push handle



extended push handle



utility cart handle

HANDLES FOR CASTER CARTS

PUSH HANDLES

Easily slips over posts.

width in.	mm	weight lbs.	kg	chrome model #	stainless steel model #
14"	356	1.7	0.8	PH14-C	PH14-S
18"	457	1.9	0.9	PH18-C	PH18-S
21"	533	2.1	1.0	PH21-C	PH21-S
24"	610	2.3	1.1	PH24-C	PH24-S
30"	762	2.6	1.2	PH30-C	PH30-S
36"	914	3.0	1.4	PH36-C	PH36-S

EXTENDED PUSH HANDLES

For ease of assembly. Designed to prevent damage to knuckles.

chrome model #	stainless steel model #
EH14-C	EH14-S
EH18-C	EH18-S
EH21-C	EH21-S
EH24-C	EH24-S
EH30-C	EH30-S
EH36-C	EH36-S

HANDLES FOR UTILITY CARTS

Handles' legs are grooved in 1" (25mm) increments.

weight lbs.	kg	chrome model #	stainless steel model #
-	-	-	-
4.0	1.8	UH18-C	UH18-S
4.2	1.9	UH21-C	UH21-S
4.5	2.1	UH22-C	UH24-S
-	-	-	-
-	-	-	-

PIZZA BOX DIVIDER

26" (660mm) height. Attaches onto 14" (356mm)-wide shelving. Zinc finish. Sold individually.

width in.	mm	weight lb.	kg	model #
28"	711	5	2.3	PZD-Z



pizza box dividers

RETAINING CLAMP

For use with enclosure panels.

model #: RETAINING CLAMP



retaining clamp

CAN RACKS

Fits on 24" (610mm)-wide shelves. Rack is front loading, front dispensing, gravity feed, and is made of chrome-plated mild steel and heavy gauge wire.

weight lbs.	kg	capacity (#10 cans)	model #
7	3.2	8	CRC



can rack

"S" HOOK

Join individual wire shelving units in a number of combinations using "S" hooks. Joins end-to-end, back-to-back, or at right angles. Two "S" hooks required for each shelf connection.

model #: A200012



"S" hook

ALUMINUM SPLIT SLEEVES

Used for conductive purposes. Includes zinc retainer ring.

with zinc rings model #	with stainless rings model #
A208909	A208908

aluminum split sleeves and ring



plastic conductive split sleeves



NEW PLASTIC CONDUCTIVE SPLIT SLEEVES

Packed four per bag.

model #
A219236



storage baskets

FILE BASKET

Ideal for organizing standard-sized file folders. Chrome-plated.

width x length x height in.	mm	weight lbs.	kg	model #
2 $\frac{3}{4}$ " x 12 $\frac{3}{4}$ " x 8 $\frac{3}{4}$ "	67 x 324 x 222	2	0.9	A216649



file basket

STORAGE BASKETS

Chrome-plated. Easily attaches to hanger rail or side of wire shelf.

width x length x height in.	mm	weight lbs.	kg	model #
13 $\frac{3}{8}$ " x 5" x 7"	340 x 127 x 178	9	4.1	A216650
17 $\frac{3}{8}$ " x 7 $\frac{1}{2}$ " x 5"	441 x 191 x 127	7	3.2	A216651
17 $\frac{3}{8}$ " x 7 $\frac{1}{2}$ " x 10"	441 x 191 x 254	11	5.0	A216652

PLASTIC SHELF MARKERS FOR STANDARD SHELVING

Snaps onto shelf edge. Provides easy identification of shelf contents or section. Clear markers hold 1" to 1 $\frac{1}{4}$ " (25 to 32mm) high labels. Also available in gray or black which hold 1 $\frac{1}{4}$ " (32mm) high labels.

marker in.	mm	fits shelf length		gray model #	black model #	clear model #
		in.	mm			
3"	76	all lengths		A204331	A206216	A208746
13"	330	18"	457	A206196	A206217	A208747
19"	483	24"	610	A206197	A206218	A208749
25"	635	30"	762	A206198	A206219	A208750
31"	787	36"	914	A206199	A206220	A208751
43"	1092	48"	1219	A206200	A206221	A208752
45"	1143	48"	1219	A212494	n/a	A217621
55"	1397	60"	1524	A206201	A206222	A214700



black plastic shelf marker

DOLLY FRAMES WITH WRAPAROUND BUMPER

If ordering casters, list dolly frame and caster model numbers separately.

shelf width x length in. mm	ALUMINUM			CHROME PLATED STEEL		
	weight lbs. kg	model #	weight lbs. kg	model #		
18" x 36"	457 x 914	14 6.4	DF1836-A	16 7.3	DF1836-C	
18" x 42"	457 x 1067	16 7.3	DF1842-A	18 8.2	DF1842-C	
18" x 48"	457 x 1219	18 8.2	DF1848-A	20 9.1	DF1848-C	
18" x 60"	457 x 1524	21 9.6	DF1860-A	23 10.4	DF1860-C	
18" x 72"	457 x 1829	23 10.4	DF1872-A	25 11.3	DF1872-C	
21" x 36"	533 x 914	17 7.7	DF2136-A	19 8.6	DF2136-C	
21" x 42"	533 x 1067	19 8.6	DF2142-A	21 9.6	DF2142-C	
21" x 48"	533 x 1219	21 9.6	DF2148-A	24 10.9	DF2148-C	
21" x 60"	533 x 1524	23 10.4	DF2160-A	26 11.8	DF2160-C	
21" x 72"	533 x 1829	25 11.3	DF2172-A	28 12.7	DF2172-C	
24" x 36"	610 x 914	21 9.6	DF2436-A	23 10.4	DF2436-C	
24" x 42"	610 x 1067	26 11.8	DF2442-A	29 13.2	DF2442-C	
24" x 48"	610 x 1219	29 13.2	DF2448-A	32 14.5	DF2448-C	
24" x 60"	610 x 1524	31 14.1	DF2460-A	34 15.4	DF2460-C	
24" x 72"	610 x 1829	39 17.7	DF2472-A	42 19.1	DF2472-C	



dolly frame with wraparound bumper



aluminum truck dolly

ALUMINUM TRUCK DOLLIES

Includes designated casters and wraparound bumpers. Poly tread.


shelf width x length in. mm	weight lbs. kg	caster type	caster load rate (each)		model #
			lbs.	kg	
24" x 48"	457 x 1219	swivel	300	136.1	TD2448-SP
24" x 48"	457 x 1219	swivel/brake	300	136.1	TD2448-BSP
24" x 60"	533 x 1524	swivel	300	136.1	TD2460-SP
24" x 60"	533 x 1524	swivel/brake	300	136.1	TD2460-BSP

SLIDE SYSTEMS *

Easily attaches to underside of shelf without the use of tools.

fits shelf	adaptable tote boxes (see next page)	width x length x depth	weight lbs. kg	model #
24" (610mm)	TB1022-3, TB1022-6	14" x 21 1/2" x 10 1/4" (356 x 683 x 260mm)	5.0 2.3	TS1421
24" (610mm)	TB1722-3, TB1722-6, TB1722-9	20" x 21 1/2" x 10 1/4" (508 x 683 x 260mm)	4.7 2.1	TS2021
21" (533mm)	TB1016-3, TB1016-6	14" x 17 1/2" x 10 1/4" (356 x 543 x 260mm)	3.5 1.6	TS1417
21" (533mm)	TB1722-3**, TB1722-6**, TB1722-9**	25 1/2" x 17 1/2" x 10 1/4" (797 x 543 x 260mm)	4.0 1.8	TS2517

** Fits TS2517 sideways



slide system with tote boxes



adjustable undershelf slides
with tote box



one-piece slide
with tote box

UNDERSHELF SLIDES

ADJUSTABLE * UNDERSHELF SLIDES

Stainless steel. Accepts any tote box widths.

ONE-PIECE * SLIDES

Easily attaches to front and rear of shelf.

NEW SLIDES WITH * END MOUNT

Allows totes to be removed from the end.

fits shelf width in. mm	ADJUSTABLE * UNDERSHELF SLIDES			ONE-PIECE * SLIDES			NEW SLIDES WITH * END MOUNT		
	weight lbs. kg	model #	weight lbs. kg	model #	weight lbs. kg	model #	weight lbs. kg	model #	
18"	457	3 1.4	US18-S	6 2.7	OUS18	n/a			
21"	533	3 1.4	US21-S	8 3.6	OUS21	n/a			
24"	610	3 1.4	US24-S	9 4.1	OUS24	3 1.4	USS24-S		
30"	762	4 1.8	US30-S	n/a		4 1.8	USS30-S		

TRAY SLIDES


These slides help maximize your use of space. Available in chrome or epoxy. 1 1/2" (38mm) spacing.

width x height in. mm	weight lbs. kg	chrome model #	EAGLEgard® model #
17 1/2" x 22 1/4"	435 x 578	9 4.1	TS18-C TS18-E
23 1/2" x 22 1/4"	587 x 578	11 5.0	TS24-C TS24-E

SLANTED SHELVES

Adds visibility, allows easy access to contents. Shipped knocked-down.

width x length in. mm	weight lbs. kg	chrome model	EAGLEgard® model	EAGLEbrite® model
21" x 36"	533 x 914	11 5.0	SL2136C	SL2136Z
21" x 48"	533 x 1219	14 6.4	SL2148C	SL2148Z
21" x 60"	533 x 1524	18 8.2	SL2160C	SL2160Z
24" x 36"	610 x 914	13 5.9	SL2436C	SL2436Z
24" x 48"	610 x 1219	16 7.3	SL2448C	SL2448Z
24" x 60"	610 x 1524	21 9.5	SL2460C	SL2460Z




tray slides



mobile unit with
optional slanted shelves

* A variety of tote boxes are available for use with these slides and slide systems. See next page.



enclosure panel

ENCLOSURE PANELS

Helps secure shelf contents, enclosing the backs and sides of unit. Available in chrome or stainless steel. Please consult tables below to determine proper quantity and model numbers when enclosing backs or sides of shelving systems.

shelf width in.	mm	post height		panel height		weight		chrome model	stainless model
		in.	mm	in.	mm	lbs.	kg.		
18"	457	54"	1372	14"	356	6	2.7	E1854-C	E1854-S
		63"	1600			7	3.2	E1863-C	E1863-S
		74"	1880			8	3.6	E1874-C	E1874-S
24"	610	54"	1372	20"	508	9	4.1	E2454-C	E2454-S
		63"	1600			10	4.5	E2463-C	E2463-S
		74"	1880			11	5.0	E2474-C	E2474-S

Consult these tables for panel configurations:

- BACK PANELS

shelf length in.	mm	quantity required (all heights)	54" (1372mm)	63" (1600mm)	74" (1880mm)
			POST HEIGHT model #	POST HEIGHT model #	POST HEIGHT model #
30"	762	1	E2454	E2463	E2474
36"	914	2	E1854	E1863	E1874
42"	1067	1	E1854	E1863	E1874
		1	E2454	E2463	E2474
48"	1219	2	E2454	E2463	E2474
		1	E1854	E1863	E1874
54"	1372	2	E1854	E1863	E1874
		1	E2454	E2463	E2474
60"	1524	2	E2454	E2463	E2474
		1	E1854	E1863	E1874
72"	1829	3	E2454	E2463	E2474

- END PANELS

shelf length in.	mm	quantity required (all heights)	54" (1372mm)	63" (1600mm)	74" (1880mm)
			POST HEIGHT model #	POST HEIGHT model #	POST HEIGHT model #
18"	457	1	E1854	E1863	E1874
21"	533	1	E1854	E1863	E1874
24"	610	1	E2454	E2463	E2474
30"	762	1	E2454	E2463	E2474
36"	914	2	E1854	E1863	E1874



3-sided double truss frame



3-sided channel frame

3-SIDED FRAMES

Improves support and stability.

width x length in.	mm	weight lbs. kg	3-SIDED TRUSS FRAMES			3-SIDED CHANNEL FRAMES		
			chrome model	EAGLEgard® model	stainless steel model	chrome model	EAGLEgard® model	stainless steel model
18" x 24"	457 x 610	5 2.2	DTF1824-C	DTF1824-E	DTF1824-S	CF1824-C	CF1824-E	CF1824-S
18" x 30"	457 x 762	6 2.7	DTF1830-C	DTF1830-E	DTF1830-S	CF1830-C	CF1830-E	CF1830-S
18" x 36"	457 x 914	6 2.7	DTF1836-C	DTF1836-E	DTF1836-S	CF1836-C	CF1836-E	CF1836-S
18" x 42"	457 x 1067	7 3.2	DTF1842-C	DTF1842-E	DTF1842-S	CF1842-C	CF1842-E	CF1842-S
18" x 48"	457 x 1219	7 3.2	DTF1848-C	DTF1848-E	DTF1848-S	CF1848-C	CF1848-E	CF1848-S
18" x 60"	457 x 1524	8 3.6	DTF1860-C	DTF1860-E	DTF1860-S	CF1860-C	CF1860-E	CF1860-S
18" x 72"	457 x 1829	9 4.1	DTF1872-C	DTF1872-E	DTF1872-S	CF1872-C	CF1872-E	CF1872-S
21" x 24"	533 x 610	5 2.2	DTF2124-C	DTF2124-E	DTF2124-S	CF2124-C	CF2124-E	CF2124-S
21" x 30"	533 x 762	6 2.7	DTF2130-C	DTF2130-E	DTF2130-S	CF2130-C	CF2130-E	CF2130-S
21" x 36"	533 x 914	6 2.7	DTF2136-C	DTF2136-E	DTF2136-S	CF2136-C	CF2136-E	CF2136-S
21" x 42"	533 x 1067	7 3.2	DTF2142-C	DTF2142-E	DTF2142-S	CF2142-C	CF2142-E	CF2142-S
21" x 48"	533 x 1219	8 3.6	DTF2148-C	DTF2148-E	DTF2148-S	CF2148-C	CF2148-E	CF2148-S
21" x 60"	533 x 1524	8 3.6	DTF2160-C	DTF2160-E	DTF2160-S	CF2160-C	CF2160-E	CF2160-S
21" x 72"	533 x 1829	10 4.5	DTF2172-C	DTF2172-E	DTF2172-S	CF2172-C	CF2172-E	CF2172-S
24" x 24"	610 x 610	6 2.7	DTF2424-C	DTF2424-E	DTF2424-S	CF2424-C	CF2424-E	CF2424-S
24" x 30"	610 x 762	7 3.2	DTF2430-C	DTF2430-E	DTF2430-S	CF2430-C	CF2430-E	CF2430-S
24" x 36"	610 x 914	7 3.2	DTF2436-C	DTF2436-E	DTF2436-S	CF2436-C	CF2436-E	CF2436-S
24" x 42"	610 x 1067	8 3.6	DTF2442-C	DTF2442-E	DTF2442-S	CF2442-C	CF2442-E	CF2442-S
24" x 48"	610 x 1219	9 4.1	DTF2448-C	DTF2448-E	DTF2448-S	CF2448-C	CF2448-E	CF2448-S
24" x 60"	610 x 1524	10 4.5	DTF2460-C	DTF2460-E	DTF2460-S	CF2460-C	CF2460-E	CF2460-S
24" x 72"	610 x 1829	11 5.0	DTF2472-C	DTF2472-E	DTF2472-S	CF2472-C	CF2472-E	CF2472-S
30" x 36"	762 x 914	7 3.2	DTF3036-C	DTF3036-E	DTF3036-S	CF3036-C	CF3036-E	CF3036-S
30" x 48"	762 x 1219	9 4.1	DTF3048-C	DTF3048-E	DTF3048-S	CF3048-C	CF3048-E	CF3048-S
30" x 60"	762 x 1524	10 4.5	DTF3060-C	DTF3060-E	DTF3060-S	CF3060-C	CF3060-E	CF3060-S
30" x 72"	762 x 1829	11 5.0	DTF3072-C	DTF3072-E	DTF3072-S	CF3072-C	CF3072-E	CF3072-S
36" x 36"	914 x 914	7 3.2	DTF3636-C	DTF3636-E	DTF3636-S	CF3636-C	CF3636-E	CF3636-S
36" x 48"	914 x 1219	9 4.1	DTF3648-C	DTF3648-E	DTF3648-S	CF3648-C	CF3648-E	CF3648-S
36" x 60"	914 x 1524	10 4.5	n/a	DTF3660-E	DTF3660-S	n/a	CF3660-E	CF3660-S
36" x 72"	914 x 1829	11 5.0	n/a	DTF3672-E	DTF3672-S	n/a	CF3672-E	CF3672-S

CANTILEVER SHELVES

These optional 12" (305mm) wide shelves are ideal for adding extra storage overhead.

NOTE: When ordering back posts, make sure to order correct height to accommodate these shelves.

length		weight		chrome	stainless steel
in.	mm	lbs.	kg.	model #	model #
24"	610	4.5	2.0	CS1224-C	CS1224-S
30"	762	5.0	2.3	CS1230-C	CS1230-S
36"	914	5.8	2.6	CS1236-C	CS1236-S
42"	1067	6.8	3.1	CS1242-C	CS1242-S
48"	1219	7.8	3.5	CS1248-C	CS1248-S
54"	1372	8.8	4.0	CS1254-C	CS1254-S
60"	1524	9.5	4.3	CS1260-C	CS1260-S



cantilever shelves

REVERSE MAT SHELVES

Feature built-in ledges which prevent contents from falling. 250 lb. (113 kg) capacity per shelf. Add suffix "Z" (EAGLEbrite® zinc), "C" (chrome), "BL" (black), "R" (red), or "W" (white) to model number when ordering. Example: RM1436R indicates a red reverse mat shelf.

width x length		weight		model #	
in.	mm	lb.	kg		
14" x 36"	356 x 914	7	3.2	RM1436	
14" x 48"	356 x 1219	10	4.5	RM1448	
18" x 36"	457 x 914	9	4.1	RM1836	
18" x 48"	457 x 1219	11	4.9	RM1848	
21" x 36"	533 x 914	11	4.9	RM2136	
21" x 48"	533 x 1219	13	5.9	RM2148	
24" x 24"	610 x 610	9	4.1	RM2424	
24" x 36"	610 x 914	12	5.4	RM2436	
24" x 48"	610 x 1219	15	6.8	RM2448	



reverse mat shelf with built-in ledge



NEW PLASTIC SHELF MARKERS FOR REVERSE MAT SHELVES

Snaps onto shelf edge. Provides easy identification of shelf contents or section. Clear markers hold 1 1/4" (32mm) high labels.

Note: These shelf markers also work on standard shelves.

marker		fits shelf length		clear
in.	mm	in.	mm	model #
3"	76	all lengths		A221658
19"	483	24"	610	A221660
25"	635	30"	762	A221661
31"	787	36"	914	A221662
43"	1092	48"	1219	A221663
55"	1397	60"	1524	A221665



clear plastic shelf marker for reverse mat shelves

TOTE BOXES

Injection molded for uniformed wall thickness ensures impact resistance and durability. Also available in molded fiberglass (see bottom of this page).

fits Slide System (see previous page)	width x length x depth inches		width x length x depth mm		weight lbs. kg		model #
TS1417	10 7/8"	16 3/4"	3"	276 x 415 x 76	1.0	0.5	TB1016-3
TS1417	10 7/8"	16 3/4"	6"	276 x 415 x 152	1.5	0.7	TB1016-6
TS1421, TS2517	10 7/8"	22 3/4"	3"	276 x 568 x 76	1.5	0.7	TB1022-3
TS1421, TS2517	10 7/8"	22 3/4"	6"	276 x 568 x 152	2.0	0.9	TB1022-6
TS2021, TS2517	17 1/2"	22 3/4"	3"	444 x 568 x 76	2.3	1.0	TB1722-3*
TS2021, TS2517	17 1/2"	22 3/4"	6"	444 x 568 x 152	3.5	1.6	TB1722-6*
TS2021, TS2517	17 1/2"	22 3/4"	8"	444 x 568 x 203	4.0	1.8	TB1722-9*


* Fits Slide System #TS2517 sideways



tote box

TOTE BOX ACCESSORIES

fits tote box #	LONG DIVIDERS		SHORT DIVIDERS		COVERS
	maximum number accepted	model #	maximum number accepted	model #	model #
TB1016-3	7	LD16-3	11	SD10-3	TBC1016
TB1016-6	7	LD16-6	11	SD10-6	TBC1016
TB1022-3	7	LD22-3	15	SD10-3	TBC1022
TB1022-6	7	LD22-6	15	SD10-6	TBC1022
TB1722-3	11	LD22-3	15	SD17-3	TBC1722-3
TB1722-6	11	LD22-6	15	SD17-6	TBC1722
TB1722-9	11	LD22-9	15	SD17-9	TBC1722



tote box dividers



tote box cover

SNAP-ON CARD HOLDER

For 6" (152mm) -deep and 9" (229mm)-deep tote boxes.

size	holds card	add suffix
4 1/2" x 7 3/4" (114 x 197mm)	3 1/2" x 7 1/2" (89 x 191mm)	CH



card holder

MOLDED FIBERGLASS BOXES AND TRAYS

Boxes are stackable for maximum storage efficiency. Made of thermoset polyester composite material. Flame and chemical resistant.

inside length	inside width	outside length	outside width	depth	description	model #
24 3/4" (619mm)	17" (432mm)	24 3/4" (632mm)	18" (457mm)	1 1/2"	tray	A208505
				3"	stacking box	A208506
				4 1/2"	stacking box	A208507
				6"	stacking box	A208508
				—	lid	A208513*

*Model #A208513 lid fits models A208506, A208507, and A208508 stacking boxes.



assorted molded fiberglass boxes and trays

POST EXTENSION KIT & COMPONENTS

Screw posts together with double-threaded bolt and extra foot casting, includes components.

AS A KIT


model #	item
4PEK	post extension kit

AS INDIVIDUAL PARTS

model #	item
A200868	double-threaded bolt
B201023	wall bracket
A207351	casting

Please note:

DO NOT attempt to use any higher combinations than P54 and P86 maximum, 140" (3556mm) total. Any combinations higher than 86" (2184mm) must be attached to walls using wall bracket on post adjacent to wall. Place units only against wall, not in center of room.



JOINING CLAMPS

Use these, and two additional posts, to create various solid shelving add-on configurations. Two required per shelf.

model #: A203078



joining clamp

PLASTIC SPLIT SLEEVE

Four included with each shelf. Packed four per bag.

model #: PLASTIC SPLIT SLEEVE



plastic split sleeve

POST CAP

Fills post end openings at top of shelving unit.

model #: POST CAP



post cap

PROTECTIVE GLIDES

Fits under leveling foot to protect floors from abrasion.

model #: GLIDES



glide

COLLAR PLUG

Fills shelf corner openings where posts have been eliminated by use of "S" hooks.

model #: COLLAR PLUG



collar plug

POST CLAMP

Provides maximum strength when shelving units are connected by clamping posts together securely.

model #: POST CLAMP




post clamp

LEVELING FOOT

Use these to accommodate for uneven floors.

model #: LEVELING FOOT



leveling foot

CASTING

Stabilizes leveling foot.

model #: A203568

FOOT PLATES

These allow unit to be bolted to the floor. Can be used without bolts when a wider foot is desired.

TRIANGULAR FOOT PLATE

chrome model #	stainless steel model #
FOOT PLATE	FOOT PLATE-S



foot plate triangle

SQUARE FOOT PLATE

chrome model #	stainless steel model #
A207199	A208627



foot plate square

RODS & TABS

Used to enclose backs or sides of shelving units to prevent contents from falling. Also used to partition shelving units by positioning rods interior to shelves. Each rod comes with four tabs.

height		chrome model #	stainless steel model #
in.	mm		
54"	1372	R54-C	R54-S
63"	1600	R63-C	R63-S
74"	1880	R74-C	R74-S
86"	2184	R86-C	R86-S



rod with tab in place

Although every attempt has been made to ensure the accuracy of the information provided, we cannot be held responsible for typographical or printing errors. Information and specifications are subject to change without notice. Please confirm at time of order.