Security Wire Partitions >> **Pallet Rack**

Please call for pricing, availability and technical assistance

Security Wire Partitions

- Access Control
- Loss Prevention
- Safety

Wireway has been manufacturing the highest quality wire partition products and associated hardware since 1924. From the standard bolted line to the revolutionary and patented "*no nuts and bolts*" EZ Wire® system, Wireway is the solution for customers demanding quality and customer service with unmatched value.

BOLTED WIRE

Setting the Standard in Bolted Wire.
Wireway Standard bolted wire partitions are designed as modular sections, and are easily installed by one person with common hand tools using the included nuts and bolts. Partitions are interchangeable and may be removed and reused for changing or expanding an installation. All industry recognized door and lock options are available. This line of woven wire partitions is widely recognized in the industry for it's quality and wide range of applications. Many standard sizes are available in 48-Hour Quick Ship.

EZ GUARD™

Wireway EZ Guard® is the only "No Nuts and Bolts" equipment guarding system available in the industry. Panels lift on and off for maintenance and access or can be affixed permanently with included machine screws. Installs four to five times faster than standard bolted partitions and can help meet OSHA's most frequently cited standards 1910, 212 (A)(1) Guarding Methods. Constructed from the same high quality materials as our EZ Wire® partitions, use EZ Guard® to enclose one machine, a work cell, or even an entire line. EZ Guard® is perfect as an easily redeployable space barrier.

© 2008, Wireway/Husky Corp. All Rights Reserved. Item #80114

Please call for pricing, availability and technical assistance

1-800-443-1791 or 214-630-9221

Pallet Rack & Wire Deck

Husky® is the only RMI certified company to manufacture rack and wire deck together. Husky® also provides technical and engineering support across an extensive product line that uses numerous punch styles and sizes to meet customer needs. As the originator and leaders of the Guaranteed 48-Hour Quick Ship program, our customers have come to expect unparalleled service with quality product as standard.

LYNX RACK™

Double Slotted Post on 3 inch centers provide quick, easy vertical adjustment of beams. Integral safety catch automatically locks into place when beam is properly seated.

HUSKY® RACK

MEMBER COMPANY

The Husky® line of INVINCIBLE pallet rack features brands synonymous with quality in the pallet rack industry for more than 30 years. Uprights are available in both 3" x 1-5/8" and 3" x 3" posts with heights up to 46 Ft. The teardrop pattern is an industry standard and accepts most teardrop style beams. Beams feature the patented Bowlock® safety clip. Bowlock® cannot be sprung or removed without first removing the load and requires no special tools. Standard colors are green uprights with orange beams. Call for other color options.



WIRE DECK

Husky® is the only pallet rack manufacturer to produce its own wire deck. This means you get a wire deck engineered to fit right and meet the performance demands of professional material handlers. Made from six gauge steel using stringent quality control procedures, Husky's® wire deck is the solution for both new and existing pallet rack systems. Numerous designs are available for a variety of capacity and application needs covering all aspects of both manufacturing and distribution. Installs quickly with no tools and is an excellent choice for facilities with sprinkler systems. Meets all fire and safety regulations.

Please call for pricing, availability and technical assistance
1-800-443-1791 or 214-630-9221

Punch Styles and Capacities

INVINCIBLE®

Most common in the rack industry. Two punches side by side on 2" centers. Beams adjustable every 2". Compatible with most other manufacturers' teardrop patterns.



RELIABLE®

Features a single hole in the center of the upright face on a 3" centerline. Beams adjustable every 3". Beams from both sides share the same hole.

For RELIABLE #'s Call Factory

LYNX™

Features a Double Slotted Post. 3 inch centers provide quick, easy vertical adjustment of beams.

BEAM SPACING	UPRIGHT FRAME		
	IU18 14Ga. 3"x1-5/8"	IU24 14Ga. 3"x3"	U29 13Ga. 3"x3"
36"	19380	24957	34203
42"	17394	22614	30650
48"	15936	21179	28566
54"	14593	19673	26337
60"	13193	18086	24022
72"	10361	14808	19349
84"	8011	11697	15059
96"	6334	9379	11949

BEAM PROFILE	BEAM LENGTH								
	48"	60"	72"	84"	92"	96"	108"	120"	144"
3.5"	6592	5268	4871	3999	3334	3062	2419	1960	1361
4.0"	7849	6273	5801	4965	4408	4048	3198	2590	1799
4.5"	9063	7244	6700	5735	5232	5010	4026	3261	2265
5.0"	10946	8750	8093	6929	6322	6054	5373	4412	3064
5.5"	15724	12570	11628	9956	9083	8701	7723	6940	4901
6.0"	N/A	14444	13363	11443	10440	10001	8878	7979	6125

DEPTH X WIDTH	GALVANIZED OR PAINTED WIRE DECKS	
	# OF CHANNELS	CAPACITY
24" X 46"	3	2910
36" X 46"	3	2620
36" X 52"	3	2620
36" X 58"	4	3360
42" X 46"	3	2520
42" X 46"	4	3300
42" X 52"	3	2520
42" X 58"	4	3300
44" X 46"	3	2410
48" X 46"	3	2330
48" X 52"	3	2330
48" X 58"	4	2720

The above charts show just a sample of our complete line. Please contact your **WWH DEALER** for requirements outside those shown. Standard color for Invincible® is green uprights with orange beams. Standard color for Reliable® is gray uprights with gray beams.

RACK & WIRE DECK

Rack Guard® Wire Partitions
Economical solution to prevent materials from falling into aisles. Rack Guard® features woven wire and heavy angle iron frames for longevity and dependability. Bolts on to teardrop style open back rack using special clips.

Row Spacers
Ties rows of rack together for proper alignment and added strength.



18 Inch Post Protectors
Protects base of uprights from lift trucks to minimize impact damage.

Crossbars
Spans gap between beams to help prevent pallets from falling through.

Wall Ties
Secures uprights to walls for added strength and to help prevent overturning.

Please call for pricing, availability and technical assistance
1-800-443-1791 or 214-630-9221

EZ WIRE

Patented Hook-Fastener System *makes install as EZ as 1-2-3!*

Why EZ Wire®?

- Modular design installs easily and 4 to 5 times faster than bolted partitions; may be moved or expanded as needed.
- Higher security design uses "inside the cage" drive pins.
- Tear down and re-deploy system quickly.
- Standard and custom sizes available.
- Knowledgeable customer service representatives make it easy with free drawings and quotes!

1 Insert Hook in Post

2 Insert Drive Pin

3 Hammer Home



A

"C" Type Frame Bars
Smooth finish, no unsightly welds.

B

Ceilings
Perimeter support members attach to panels with self-threading screws. Ceiling panels attach without bolts.

C

Hinged Corner Post
Adjustable corner posts make installation fast and easily adaptable.

D

Tubular Posts
14 Ga., 2-1/2" tubular posts. Largest in the industry.

Wireway HUSKY

Please call for pricing, availability and technical assistance

1-800-443-1791 or 214-630-9221

48-HOUR QUICK SHIP

"From Order to Out the Door"
48-Hours or Less,

GUARANTEED ...

or we pay the freight!

UPRIGHTS 14Ga., 3" X 1-5/8"				BEAMS					WIRE DECKS			
D x H	Capacity	Weight	Model #	Profile	Length	Capacity	Weight	Model #	D x W	Capacity	Weight	Model #
36" x 96"	*19380	39.62	IU18360096	4.0"	48"	7849	12.19	IBX39048	36" x 46"	2620	18.58	360460Z06003322
36" x 144"	*19380	56.21	IU18360144	4.0"	96"	4048	22.39	IBX39096	36" x 52"	2620	20.09	360520Z06003322
42" x 96"	*19380	41.31	IU18420096	4.5"	96"	5010	23.66	IBX43096	36" x 58"	3380	23.83	360580Z06004322
42" x 120"	*19380	53.15	IU18420120	5.0"	96"	6054	25.51	IBX48096	42" x 46"	2050	20.38	420460Z06023382
42" x 144"	*19380	60.60	IU18420144	5.0"	108"	5373	28.45	IBX48108	42" x 46"	2520	21.40	420460Z06003382
42" x 192"	*19380	79.89	IU18420192	5.0"	120"	4412	31.39	IBX48120	42" x 52"	2520	23.11	420520Z06003382
48" x 96"	*19380	43.04	IU18480096	5.0"	144"	3064	37.27	IBX48144	42" x 58	3300	27.48	420580Z06004382
48" x 120"	*19380	55.79	IU18480120	5.5"	108"	7723	36.07	IBN55108	48" x 46"	2330	24.61	480460Z06003442
48" x 144"	*19380	62.99	IU18480144	5.5"	144"	4901	47.44	IBN55144	48" x 52"	2330	26.57	480520Z06003442
14Ga., 3" x 3"				6.0"	144"	7552	59.91	IBH60144	48" x 58"	2720	31.61	480580Z06004442
42" x 144"	*24957	71.52	IU24420144									
42" x 192"	*24957	94.52	IU24420192									
48" x 192"	*24957	97.54	IU24480192									
42" x 240"	*24957	117.51	IU24420240									

* All upright capacities based on 36" beam shelf spacing.
For all other capacities please refer to price book.

ACCESSORIES

CROSSBARS			ROW SPACERS			WALL SPACERS			POST PROTECTORS		
Depth	Weight	Model #	Length	Weight	Model #	Length	Weight	Model #	Height	Weight	Model #
36"	4.37	A1036G	6"	0.92	I3506	6"	1.07	I4006	12"	11.10	I5712-P
42"	5.13	A1042G	8"	1.08	I3508	8"	1.31	I4008			
48"	5.88	A1048G	12"	1.58	I3512	12"	1.74	I4012			

STORAGE EQUIPMENT
Dallas / Ft. Worth

Please call for pricing, availability and technical assistance
1-800-443-1791 or 214-630-9221